

# PUBLIC AUCTION



2179 Dunwin Drive, Unit 14, Mississauga, Ontario

**Auction: Tuesday, November 25<sup>th</sup> @ 10:30 am**

**Inspection: Monday, November 24<sup>th</sup>, 9:00 AM – 5:00 PM**

**Presses & Feed  
Equipment**

**CNC Tool & Die  
Manufacturing**



**1998**

**SODICK**  
A-500w CNC  
WIRE EDM



**1979**

**SMERAL**  
LDC-250-2  
AC OBG  
PRESS



**1999**

**HAAS VF-9 CNC VERT. MACH. CENTER**



**1999**

**HAAS VF-5 CNC VERT. MACH. CENTER**



**INFINITY**  
Asset Solutions  
[www.infassets.com](http://www.infassets.com)

**AUCTIONEERS  
APPRAISERS • FINANCIERS**  
*...and a lot more!*

63 Maplecrete Road, Concord, Ontario L4K 1A5 Canada  
Tel: (905) 669-8893 Fax: (905) 669-7512

50 Taper

1996



DAH LIH DL-MCV-1500 CNC VERT. MACH. CENTER

## CNC EDM

'98 SODICK model A-500W CNC wire cut EDM, s/n 1633, w/ SODICK MARK-25, 5 axis CNC controls tank size; 30" x 36" x 16" cap. 1540 lbs. max. work-piece, travels; X-19.6", Y-13.7", Z-10.6", U & V 2.7", color graphic display (3 dimensional). (see photo front cover)

SODICK model FS-G3A CNC wire cut EDM, s/n 3G3A-342, w/ SODICK MARK XI, 3 axis CNC controls, tank size 28" x 34" x 18" cap.

## CNC VERT. MACH.CENTERS

'99 HAAS model VF-9 CNC vertical machining center, s/n 17376, w/ HAAS 4 axis CNC controls, travels; X-84", Y-40", Z-30", CT-40 spindle taper, 20 ATC, speeds variable to 7500 RPM, prog. coolant nozzle, expanded memory to 16MB, chip conveyor, way covers, 2,200 hrs only. (see photo front cover)

'99 HAAS model VF-5 CNC vertical machining center, s/n 17171, w/ Haas 4 axis CNC controls, travels; X-50", Y-26", Z-25", CT 40 spindle taper, 20 ATC, speeds variable to 7500 RPM, prog. coolant nozzle, expanded memory to 16 MB, chip conveyor, way covers, 6,200 hrs only. (see photo front cover)

'96 DAH LIH model DL-MCV1500 CNC vertical machinery center, s/n 1350548, FANUC 0-M, 5 axis CNC controls, 27" x 68" table, BT-50 spindle taper, 24 ATC, travels; X-59", Y-25", Z-27.5", 35 to 3500 spindle RPM, 20 HP motor, covered ways.



SODICK FS-G3A CNC WIRE EDM

1999



FORTWORTH VBM-5VL VERT. MILL

## BORING MILL

TOS model WHN-9B table type horizontal boring mill, s/n 006-01, 3.5" spindle diameter, 20 kw spindle motor, 9 to 1120 spindle RPM, 39" x 44" built-in rotary table, travels; 40" vert., 40" cross, 48" long, 18" spindle, covered ways, TRI-ONICS 3 axis DRO.

## MILLS

'99 FORTWORTH model VBM-5VL vertical mill, s/n 5275, 20" x 87" power feed table, travels; 36" vert., 30" cross, 76" long, 15 HP spindle motor, # 50 spindle taper, power draw bar, 45 to 1500 RPM, HEIDENHAIN 3 axis DRO.

DECKEL model FP - 4M universal mill, s/n 2203-1296, 18" x 31.5" power feed table, travels; 16" vert., 16" power over arm, 20" long, horiz. & vert. spindles, 50 to 2500 RPM, HEIDENHAIN 3 axis DRO.

DAH LIH model DL-GH2200 horiz/vert.mill, s/n 80423, 11" x 51" power feed table, travels; 30" vert., 12" cross, 45" long, 5HP spindle motor, speed variable to 3800 RPM, arbor supports.

TOS model FA5V vertical mill, s/n 32455, 17" x 79" power feed table, travels; 20" vert., 16" cross, 58" long, 15.8 KW motor, #50 spindle taper, 18 to 1400 spindle RPM.

(2) '96 FIRST model LC-185 VS ram type turret mills, s/n 85070662, 85070660, 10" x 50" table, 3 HP spindle motor, speeds variable to 4500 RPM, R-8 spindle taper, HEIDENHAIN 2 axis DRO.

FIRST model LC-2VS ram type turret mill, s/n 74116658, 9" x 42" table, 2 HP spindle motor, R-8 spindle taper, speeds variable to 4500 RPM, DRC 2 axis DRO.



SIRCO PA-20 GAP BED LATHE



DECKEL FP-4M UNIVERSAL MILL



DAH LIH DL-GH2200 HORIZ/VERT MILL

## INFINITY APPRAISAL SERVICES

Behind each Infinity appraisal stands over 3 decades of industrial knowledge and expertise. Let our CPPA certified appraisers conduct your next appraisal.

Call us in complete confidence at 905-669-8893.

1999



**CHEVALIER** FSG-1628 AD HYD. SURFACE GRINDER



VIEW OF HAND FEED SURFACE GRINDERS

**Large Quantity and Good Variety of "New" and Used Parishable Tooling, Inspection and Measuring Equipment.**



**MINSTER** SE2-250-48-36 SS AC PRESS

1996



**KAO MING** KMR-1600DH RADIAL ARM DRILL



**NIAGARA SPIRIT** 250 CNC HYD. PRESS

1995



**SMERAL** LKT-250A SS AC PRESS

## LATHES

**WHACHEON** model 580/2000 gap bed engine lathe, s/n 12850606, 22" swing, 31" in gap, 80" centers, 3" hole thru spindle, 28 to 1350 RPM, metric and imperial threading.

**SIRCO** model PA-20 gap bed engine lathe, s/n 03425321, 20" swing, 30" in gap, 48" centers, 4" hole thru spindle, 22 to 1500 RPM, metric & imperial threading, quick change tool post.

**GOODWAY** model GW-1640 gap bed tool room lathe, s/n 65952, 16" swing, 25" in gap, 40" centers, 55 to 1800 RPM, metric & imperial threading.

## GRINDERS

'99 **CHEVALIER** model FSG-1628AD hydraulic surface grinder, s/n G2852001, WALKER 16" x 28" magnetic chuck, 14" grinding stone w/wheel dresser, plung grinding.

'91 **TOS** model BPH-320A hydraulic surface grinder, s/n 178072, (2) 12" x 20" magnetic chucks, 9" grinding stone w/ wheel dresser.

(2) '96 & '94 **CHEVALIER** model FSG-618M hand feed surface grinders, s/n A3856059, A3835020, WALKER 6" x 18" magnetic chucks.

(2) **FORWARD** model KGS-618 hand feed surface grinders, s/n 880465-2, 88045-1, KANETSU, 6" x 18" magnetic chucks.

**DECKEL** model S0 tool & cutter grinder, s/n 79-19613.

**NORTHCOTT-MORRIS** model DC-300 self contained dust collector system, s/n 335, 3 HP motor, filters.

## DRILLS

'96 **KAO-MING** model KMR-1600 DH radial arm drill, s/n 60250, 6' arm, 14" column, #6 spindle taper, 30 to 1580 RPM, 14" quill feed, hydraulic clamping, box table.

**MAS** model VR4A radial arm drill, s/n 3142, 4' arm, box type column, #5 spindle taper, 28 to 2500 RPM, 12" quill travel, hydraulic clamping, box table.

**ESSBECO** model RD-25 radial arm drill, s/n 2561, 2' arm, 9" column, #3 taper, 100 to 1280 RPM, 4" quill travel, swivel table.

**SOLBERGA**, model G-1630 geared head drill, s/n 325795, #2 spindle taper, 100 to 2200 spindle RPM, 5" quill travel.

**BARNES DRILL** #3 tapping machine s/n - N/A.

## SAWS

'97 **SILOMA** model OL-261 automatic horizontal bandsaw, s/n 097789, 10" cap, hyd roll feed.

'93 **T-JAW** model 500 vertical bandsaw, s/n 9350410, 20" throat, variable speed, blade welder & grinder. (see photo back cover)

**VERTICUT** model 115B roll-in type vertical bandsaw, s/n 3756, 10" throat.

**VERTICUT** model 115 roll-in type vertical bandsaw, s/n 1700, 10" throat.

## CNC HYD. PRESS

'95 **NIAGARA** model SPIRIT HPS-250 CNC hydraulic press s/n T53936 250 ton cap., 1" to 12" stroke, 32" open height, 20" shut height, 56" x 34" bed.



1979

SMERAL LDC-250-2 AC OBG Press



1979

SMERAL LDC-160 AC OBG Press



1 of 2

HAMILTON S2-250-84 SS AC Press



1984

Variable Stroke

GOITI NFR-250 AC OBG Press

***This brochure is only a partial listing. Please visit our website at [www.infassets.com](http://www.infassets.com) for more detailed listings and photos.***



GARY 10,000 LBS. Coil Reel



2000

COLT CERFS-40-36 HD Leveler/Feeder

## STRAIGHT SIDE PRESSES

'79 SMERAL model SE2-250-48-36, s/n SE2-250-14331, 250 ton cap., 12" stroke, 12" adj., 31" shut height, 36" x 48" bed and ram, 4" bolster plate, 30 SPM, cushions, air clutch & brake.

'84 SMERAL model LKT-250A, s/n 3780, 275 ton cap., 10" stroke, 10" adj., 25" shut height, 48" x 60" bed, 5.5" bolster, 36" x 56" ram, 25 SPM, 18" windows, air clutch & brake.

(2) HAMILTON model S2-250-84, s/n N-A, 250 ton cap., 12" stroke, 12" adj., 35" shut height, 36" x 84" bed & ram, 26 SPM, 3" bolster, (1) w/ 11" riser, 12" windows, (1) w/ SHADOW 1V safety light curtain, air counter balance, air clutch & brake.

## OBI & OBG PRESSES

'79 SMERAL model LDC-250-2 OBG, s/n 1703, 275 ton cap., 8" stroke, 5" adj., 17" shut height, 34.5" x 96" bed, 5" bolster, 27" x 84" ram, 23 - 38 SPM, air clutch & brake. (see photo front cover)

'85 SMERAL model LE-250-C OBG, s/n 230773, 275 ton cap., 1.2" to 5.5" adj. stroke, 4.3" adj., 19.5" shut height, 29" x 43.5" bed, 3" bolster, 25 - 45 SPM, air clutch & brake.

'84 GOITI model NFR-250 OBG, s/n 7912, 250 ton cap., .80" to 8.66" adj. stroke, 5" adj., 13.5" shut height, 33" x 54.5" bed, 5" bolster, 24" x 47" ram, 30 to 60 SPM, air clutch & brake.

'79 SMERAL model LDC-160 OBG, s/n 90092, 176 ton cap., 6" stroke, 4" adj., 17" shut height, 32" x 78" bed, 3" bolster, 25" x 69" ram, 45 SPM, air clutch & brake.

'85 SMERAL model LEXN-100C OBI, s/n 0943, 110 ton cap., .40" to 4.9" adj. stroke, 3.5" adj., 15" shut height, 25" x 39.5" bed, 75 to 150 SPM, air clutch & brake.

## FEED EQUIPMENT

'00 COLT model CERFS-40-36 HD automated leveler/feeder s/n 1141278, material thickness, 36" width, length programmable.

GARY model 10 motorized coil reel, s/n N-A, 10,000 lbs. cap., 60" coil space.

(2) '83 MECON model 4M motorized coil reel, s/n 4-83-7, 4,000 lbs. cap., 18" coil space, s/n 4-83-5.

'87 MECON model 4M motorized coil reel, s/n 4-87-24, 4,000 lbs. cap. 18" coil space.

'85 MECON model 4M, motorized coil reel, s/n 4-85-24, 4,000 lbs. cap., 18" coil space.

VOGEL model 218 motorized coil reel, s/n 0978190, 4,000 lbs. cap., 18" coil space.

DALLAS model D500 leveler/feeder, s/n T3276, .375" material thickness, 18" width, 12" length.

DALLAS model D-150 pneumatic feeder, s/n 10204, 18" width, 12" length.

BRATTEN model F300-18W-365 pneumatic feeders, s/n 1111.

(3) BRATTEN model F200-12W-185 pneumatic feeders, s/n - N/A.

*Auctioneer's Note:*

**Well Maintained Press Room.**

1997



DEA 10TA CNC CMM



PROGRESSIVE PRB-100-18 Spot Welder

## WELDING DEPT.

'98 TRW model 101, Series 5000 stud welder, s/n SMA-9809, 1600 amps, 5/16" to 1/2" studs.

PROGRESSIVE model PRB-100-18 air operated press type spot welder, s/n S-3022, 100 KVA, 18" throat.

(3) PRECISION model AVA-1 air operated press type spot welders, s/n - N/A, 665351-2, 065298, 75KVA, 26" throat.

WELDOMATIC model AF-2B air operated rocker arm type spot welder, s/n 2661 50 KVA, 24" throat.

## QUALITY CONTROL

'97 DEA model 10TA CNC bridge type coordinate measuring machine, s/n 251 w/ DEA/BROWN & SHARPE TUTOR P 3 axis CNC controls, POLI model 1102, 39.5" x 70.5" x 12" deep granite table, RENISHAW model PH-9 probe, PC computer, monitor & keyboard.

MITUTOYO model 940-130 Rockwell hardness tester, s/n 1953.

MITUTOYO model 5053 granite table 36" x 48" x 8" deep.

DOALL 24" X 24" & 18" X 24" granite surface plates. Large quantity of digital height gauges, bore gauges, inside & outside micrometers, dial indicators, verniers, angle plates, height checkers, grinding stone balancer.

1 of 2



COMPAIR 40 HP AIR COMPRESSOR

## VEHICLE

'96 FORD F-Series diesel S/A truck VIN: IFDNF80C8VVA26204, 6 cyl. diesel engine, 6 speed transmission, 10R22.5 tires, DOMINION 20' aluminum box, roll up door.

## FORK LIFT TRUCKS

TCM model FCG25N6 propane powered forklift truck, s/n 48803674, 4,600 lbs. cap., 189" lift, 3 stage mast, side shift, hard tires.

HYSTER model 5150A propane powered forklift truck s/n A024DQ5469F, 18,000 lbs. cap. 62.5" lift, 2 stage mast, hard tires.

MOTIVATION 2,700 lbs. cap. forklift boom.

## OFFICE EQUIPMENT & FURNITURE

Variety of PC's, desks, file cabinets, boardroom furniture, reception furniture, storage cabinets, printers, book shelves, PANAFAX UF-550 facsimiles machine etc.etc.

## FACTORY EQUIPMENT

(2) ROBBINS & MEYERS 3 ton overhead cranes, 40' span, 2 speed.

(2) MAN GHH 5 ton overhead cranes, 33' span, 2 speed, top running, under-slung.

(2) COMPARE model 178 rotary screw air compressors, 40 HP, air cooled .

BINKS 5 & 10 HP tank mount air compressor

ULTRA-AIR model UA250AC ref. air dryer, s/n 16440-47

METTLER-TOLEDO 5,000 lbs. cap. digital floor scale, 48" x 60" platform.

1997



(2) MAN 5 TON OVERHEAD CRANES

### PROXY BIDDING

We will be happy to bid on your behalf if you are unable to attend our auction.

Please call our office at 1-866-669-8893, or visit our website to submit a proxy bid.

[www.infassets.com](http://www.infassets.com)



TCM FCG25N6 FORKLIFT TRUCK

1996



FORD F-SERIES S/A DIESEL TRUCK

1993



T-JAW 500 VERT. BANDSAW



ULTRA-AIR UA250AC AIR DRYER

## FACTORY EQUIPMENT (cont'd)

**A & H** 10 HP. tank mount air compressor.

LISTA multi drawer tool storage cabinets.

**OTC** model SP-10 hyd. shop press, 10 ton cap.

(2) **BUDGIT** 5 ton & (1) **JET** 5 ton electric chain hoists w/monorail system.

**MOBILE LIFT** model M50FP elect/hyd. die lift truck, s/n 8467, 1500 lbs. cap.

**ALSO;** oxy-acet torches, Dexion shelving, die hardware, 130 half door baskets & totes, shop fans, strapping caddies & tools, adj. pallet racking, storage cabinets, steel horses, digital time clocks & card racks, rolling shop ladders, hydraulic pallet jacks, work benches, security tool room cage, hose reels, hand tools.

**LARGE QUANTITY & SELECTION OF NEW & USED PERISHABLE TOOLING**

## TERMS OF SALE



### Payment

All payments must be in Cash, Certified Funds, Visa, MasterCard or Interact. Wire Transfers or Company Checks must be accompanied with a bank letter guaranteeing irrevocable payment to Infinity Assets Solutions Inc.

A 2% surcharge will apply on all payments made by credit card.

A 10% buyers premium will be added to all purchases.

A \$500 refundable security deposit is required upon registration.

A 25% deposit is required at time of purchase, balance due by 3pm, Wednesday, November 26. **NO EXCEPTIONS.**

All goods are sold "As Is, Where Is". Complete listings of terms and conditions will be made available onsite at the time of registration.

Terms & conditions are detailed on our website.

## REMOVAL TIMES

By Wednesday, December 3, 3 pm.

Hours: Monday – Friday between 8 am – 5 pm.

No items maybe removed during auction. **NO EXCEPTIONS.**

## HOTELS

Comfort Inn & Suites, 2085 N. Sheridan Way, Mississauga, ON  
905-858-8600

Holiday Inn, 2125 N. Sheridan Way, Mississauga, ON  
905-855-2000

Travel Lodge Carriage Inn, 1767 Dundas Street East, Mississauga, ON  
905-238-3400

## DIRECTIONS

From Hwy #403 (in Mississauga) exit at Erin Mills Parkway, proceed south for approx. 2.8km and turn right (west) onto Dundas Street. Go through one traffic light and Dunwin Drive is the next street on the right. Plant on right.

Member In Good Standing Of:



## PROXY BIDDING

We will be happy to bid on your behalf if you are unable to attend our auction. Please call our office at 1-866-669-8893, or visit our website to submit a proxy bid. [www.infassets.com](http://www.infassets.com)



**INFINITY**  
Asset Solutions  
[www.infassets.com](http://www.infassets.com)

**AUCTIONEERS • APPRAISERS • FINANCIERS... and a lot more!**